

Online
Shop

The logo for Chem Oil Products is an oval shape with a white background and a blue swoosh on the left side. The text "Chem Oil" is in a large, bold, black sans-serif font, and "PRODUCTS" is in a smaller, bold, black sans-serif font below it. A registered trademark symbol (®) is located to the upper right of the word "Oil".

UNIQUE VALVE & INSTRUMENTATION

OIL FIELD / INDUSTRIAL / INSTRUMENTATION QUICK REFERENCE GUIDE



VALVES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



STAINLESS STEEL BALL VALVES



1017S SERIES

1,000 PSI
REDUCED PORT
SIZE: 1/4" - 2"
B'FLY HANDLE AVAILABLE



2006WSW SERIES

2,000 PSI
FULL PORT
SIZE: 1/4" - 2"



3000WSW SERIES

3,000 PSI
FULL PORT
SIZE: 1/4" - 2"



6000WSW SERIES

6,000 PSI
FULL PORT (2" RP)
SIZE: 1/4" - 2"



CARBON STEEL BALL VALVES



2006WC SERIES

2,000 PSI
FULL PORT
SIZE: 1/4" - 2"



2017C SERIES

2,000 PSI
REDUCED PORT
SIZE: 1/4" - 2"



2027WC SERIES

2,000 PSI
FULL PORT
SIZE: 1/4" - 1"



3000WC SERIES

3,000 PSI
FULL PORT
SIZE: 1/4" - 2"



6000WC SERIES

6,000 PSI
FULL PORT (2" RP)
SIZE: 1/4" - 2"



TRC 5000 SERIES

BOLTED BODY - 5,000 PSI
REDUCED PORT
SIZE: 2"



TRC SERIES

2,500, 3,000 & 5,000 PSI
REDUCED PORT
SIZE: 2"



FLANGE END BALL VALVES



TRUNNION SERIES

A216 WCB BODY
FULL PORT - 6D
ASME B16.10/B16.5
API 608
CLASS 600
SIZE: 4" - 6"



TRUNNION SERIES

CLASS 150, 300, & 600
SIZE: 8"



FLOATER SERIES

CLASS 150, 300, & 600
SIZE: 2" - 6"

VALVES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



TRD SERIES

1000 - 2000 WOG DUCTILE IRON
REDUCED PORT 2" - 4"
DUCTILE IRON BODY
1" FULL PORT
NACE MR0175
ASME B16.34

SIZE: 1" - 4"



TRD FREEZE RESISTANT

THREADED END BALL VALVE
750 WP
DUCTILE IRON BODY
NACE COMPLIANT

SIZE: 2", 3", & 4"



GRD SERIES

GROOVED END BALL VALVE
LEVER OPERATED
750 PSI WP
DUCTILE IRON BODY
316 SS BALL & STEM


SIZE: 2" & 3"



3000B SERIES

600 WOG BRASS BALL VALVE
FULL PORT
UL APPROVED 1/4" - 2"
150 WSP (STEAM)

SIZE: 1/4" - 4"



BUTTERFLY VALVES

2014DWR

CF8M / 316 SS DISC
NICKEL PLATED D.I. DISC
SIZE: 2" - 12"



2014DL SERIES

CF8M / 316 STAINLESS DISC
NICKEL PLATED D.I. DISC
SIZE: 2" - 12"



2014DW SERIES

CF8M / 316 STAINLESS DISC
NICKEL PLATED D.I. DISC
SIZE: 2" - 12"



2014DWNBN SERIES

CLASS 125
CF8M / NICKEL PLATED DISC
SIZE: 4", 6" & 8"




2014DWNB-L SERIES

WAFER / CLASS 125
D.I. DISC, CAST IRON BODY
Size: 4" - 12"



2014DLNB-L SERIES

LUG / CLASS 125
D.I. DISC, CAST IRON BODY
SIZE: 4" - 12"



TEBF SERIES

CLASS 150
CF8M / NICKEL PLATED DISC
SIZE: 2", 3", 4" & 6"



GRBF SERIES

CLASS 300
D.I. DISC NICKEL PLATED
SIZE: 4"



VALVES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



CHECK VALVES



GROOVED END SERIES

ASTM A395, 300 PSI
CLAPPER SS 316, D.I. BODY
SIZE: 2", 3" & 4"



DITVCV SERIES

300 - 2000 PSI WOG
CF8M DISC VITON SEAT
SIZE: 1" - 4"



876 SWING SERIES

1975 PSI / 800 CLASS
CONVENTIONAL PORT
SIZE: 3/8" - 2"



871 LIFT SERIES

1975 PSI / 800 CLASS
CONVENTIONAL PORT
SIZE: 1/2" - 2"



CSTVCV SERIES

300 - 5000 PSI WOG
CF8M DISC VITON SEAT
SIZE: 1" & 2"



5200 & 5300 CV SERIES

200 & 300 PSI WOG
METAL TO METAL SEAT
O-RING SEAT
SIZE: 1/2" - 4"



INVCSS SERIES

6000 PSI 316SS
BUNA, VITON, AFLAS
SIZE: 1/8", 1/4", 1/2", 3/4" & 1"



INCVBR SERIES

3000 PSI BRASS
BUNA, VITON, AFLAS
SIZE: 1/8" & 1/4"

GATE 851 SERIES

1975 PSI FORGED STEEL

CONVENTIONAL PORT
800 CLASS
API 602/598
ANSI B1.20.1/B16.34
NACE



SIZE: 1/2" - 2 1/2"

GLOBE 860 SERIES

1975 PSI FORGED STEEL

CONVENTIONAL PORT
800 CLASS
API 602/598
ANSI B1.20.1/B16.34
NACE



SIZE: 1/2" - 2"

GATE 4000G SERIES

200 WOG 125 WSP

BRASS GATE VALVE
FULL PORT

SIZE: 1/2" - 4"



GATE 4000GL SERIES

LEVER TYPE GATE
BRASS

SIZE: 2", 3", 4" & 6"




GATE GV SERIES

150#, 300# & 600#
GEAR & MANUAL OPERATED
RF. ASTM A216GR WCB
PER STD. API 600

SIZE: 2" TO 12"



WATER GAUGE



WATER GAUGE COCKS

500 PSI WOG
CARBON STEEL
SIZE: 1/2" NPT x 5/8" OD GLASS



WATER GAUGE COCKS

400 PSI WOG
BRONZE
SIZE: 1/2" NPT x 5/8" OD GLASS


SIGHT GLASS PROTECTOR

SIGHT GLASS

12" - 60"

SIGHT GLASS PROTECTOR

ROD & COVER AVAILABLE



HAMMER UNIONS

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



HAMMER UNIONS



FIG. 100 TxT



FIG. 200 & 206 TxT/BW



FIG. 400 TxT



FIG. 602 TxT



FIG. 602 BW



FIG. 1002 TxT



FIG. 1002 BW



FIG. 1502 TxT



FIG. 1502 BW

FIG. #	STANDARD SERVICE		PIPE SIZE (in.)										
	SUB	NUT	1	1 1/4	1 1/2	2	2 1/2	3	4	6	8	10	12
100	1,000	1,500											
200	2,000	3,000											
206	2,000	3,000											
400	4,000	6,000											
602	6,000	9,000											
1002	10,000	15,000											
1502	15,000	22,500											

INSTRUMENTATION

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



NEEDLE VALVES

AVAILABLE IN 316 SS & CARBON STEEL



SPV / CPV SERIES

MxF & FxF
6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZE: 1/4", 1/2", 3/4" & 1"

SPVB / CPVB SERIES

MxF & FxF
6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZE: 1/4", 1/2", 3/4" & 1"

SNA / CNA SERIES

6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZE: 1/4" & 1/2"



SMPV / CMPV SERIES

6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZE: 1/2", 3/4" & 1"



MSH / MCH SERIES

MxF, FxF & MxM
6000 PSI @ 200° (SOFT SEAT)
SIZE: 1/4"



MVDS / MVDC SERIES

MxF, FxF & MxM
6000 PSI @ 200° (SOFT SEAT)
SIZE: 1/4"



SPV8ML8FT SERIES

MxF
10000 PSI @ 200° (HARD SEAT)
SIZE: 1/2"

INSTRUMENT MANIFOLD VALVES




2 WAY

6000 PSI
316 STAINLESS STEEL
SIZE: 1/2"




5 WAY FLANGE

6000 PSI
316 STAINLESS STEEL
SIZE: 1/2"



3 WAY FLANGE

6000 PSI
316 STAINLESS STEEL
SIZE: 1/2"



5 WAY DIRECT MOUNT

6000 PSI
316 STAINLESS STEEL
SIZE: 1/2"



2 VALVE BLOCK & BLEED

MxF
6000 PSI
316 STAINLESS STEEL
BLEED PORT
RTFE SEATS
SIZE: 1/2"

TUBE FITTINGS



Male Connector / Bulkhead Male Connector / Male Elbow
Male Run Tee / Male Branch Tee / Female Connector
Bulkhead Female Connector / Female Elbow / Female Run Tee
Female Branch Tee / Union / Reducing Union / Bulkhead Union
Union Elbow / Union Tee / Male Adapter / Female Adapter
Tube Plug / Tube Cap / Nut / Double Ferrule Set / Stud Adaptors
316 STAINLESS STEEL
INTERCHANGEABLE
SIZE: 1/4", 3/8" & 1/2"

INSTRUMENT BALL VALVES



TEB SERIES

6000 PSI
316 STAINLESS STEEL
SIZE: 1/4", 3/8" & 1/2"

VENT PLUGS



AVAILABLE TYPE:

316 SS STEEL & CARBON STEEL
ASME B1.20.1
10,000 PSI
SIZE: 1/2"

INSTRUMENTATION

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



STAINLESS STEEL TUBING



10' STICKS

WELDED

304 STAINLESS STEEL

AVAILABLE SIZE:

3/8" X 0.035" - PACK QTY: 800'

1/4" X 0.035" - PACK QTY: 1250'

20' STICKS

SEAMLESS & WELDED

304 & 316 STAINLESS STEEL

AVAILABLE SIZE:

1/2" X 0.035" - PACK QTY: 200'

3/8" X 0.035" - PACK QTY: 400'

1/4" X 0.035" - PACK QTY: 800'



150', 300' & 1,000' COILS

SEAMLESS & WELDED

304 & 316 STAINLESS STEEL

AVAILABLE SIZE:

1/2" X 0.035"

3/8" X 0.035"

1/4" X 0.035"



2,200 FT. SPOOLS

WELDED

304 STAINLESS STEEL

AVAILABLE SIZE:

3/8" X 0.035"



NOTE:

* AVAILABLE IN DRY OR LIQUID FILLED
(GLYCERIN FILLED & SILICONE FILLED)

GAUGES

PLEASE CALL FOR OEM, PRIVATE LOGO & NON-STOCK ITEMS



210 BAYONET BEZEL SERIES *

CASE: 304SS / BRASS INTERNALS

DIAL SIZE: 2 1/2" LM & CBM, 4" LM

CONNECTION: 1/4" & 1/2" NPT

ACCURACY: 4"-1% SPAN, 2 1/2"-1.6% SPAN

RANGE: VAC 30 THROUGH 5000PSI

ASME B40.1A



310 BAYONET BEZEL SERIES *

CASE: 304SS / 316SS INTERNALS

DIAL SIZE: 2 1/2" & 4" LM

CONNECTION: 1/4" & 1/2" NPT

ACCURACY: 4"-1% SPAN, 2 1/2"-1.6% SPAN

RANGE: VAC 30 THROUGH 15000PSI

ASME B40.1A



450 PROCESS GAUGE SERIES *

CASE: BLACK PHENOLIC /

316 SS INTERNALS

DIAL SIZE: 4 1/2"

CONNECTION: 1/2" NPT

ACCURACY: 0.5% SPAN

RANGE: VAC 30 THROUGH 10000PSI

ASME B40.2A



601 CAST BRASS HD SERIES *

CASE: CAST BRASS, COPPER ALLOY

BOURDON TUBE

DIAL SIZE: 2 1/2"

CONNECTION: 1/4" NPT / LM

ACCURACY: 1.6% SPAN

RANGE: VAC 30 THROUGH 15000PSI



PANEL MOUNT FLANGES

304 STAINLESS STEEL

AVAILABLE W/ HOLES & W/O HOLES

SIZE: 2 1/2"



U-CLAMPS

ZINC PLATED

SIZE: 2 1/2"



V-CLAMPS

ZINC PLATED

SIZE: 2 1/2"



RUBBER BOOT

GREEN & BLUE

LOWER & BACK MOUNT

SIZE: 2 1/2"



MINI DIAPHRAGM SEAL

316 STAINLESS STEEL

30-3000 PSI, WELDED

SIZE: 1/4" - 1/2" F X F

GAUGE ACCESSORIES

BI-METAL THERMOMETERS



CASE:

304SS/316SS INTERNALS

DIAL SIZE:

3" CBM & 5" ADJ. ANGLE

CONNECTION:

1/2" NPT

RANGE:

-50°F THROUGH 550°F

STEM SIZE:

2 1/2", 4", 6" & 9"

THERMOWELLS



MATERIAL:

304SS & 316SS

CONNECTION:

1/2"X1/2", 3/4"X1/2", 1"X1/2"

LENGTH SIZE:

2 1/2", 4", 6" & 9"

FITTINGS & FLANGE ACCESSORIES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



FORGED STEEL FITTINGS

AVAILABLE TYPE:
90° ELBOW, 45° ELBOW, TEE,
REDUCING TEE, UNION, CROSS,
COUPLING, HEX PLUG, CAP
WORKING PRESSURE:
2000, 3000 & 6000 LBS
STANDARD:
ASME B16.11 & MSS-SP-83

SIZE: 1/8" TO 4"



90° ELBOW



45° ELBOW



REDUCING TEE



TEE



UNION



90° STREET ELBOW



CROSS



COUPLING



MALLEABLE FITTINGS

AVAILABLE TYPE:
ELBOW, TEE, CROSS, CAP,
BUSHING, PLUG & CONICAL JOINT
CLASS 150 & 300 ONLY IN C.J.
STANDARD:
ASME B16.3, B16.14 & B16.39

SIZE: 1/8" - 6"



90° ELBOW



45° ELBOW



TEE



CAP



BUSHING



UNION



90° STREET



CROSS



C.J.



PLUG

FORGED STAINLESS STEEL FITTINGS



AVAILABLE TYPE:
ELBOW, TEE, COUPLING, UNION,
HEX PLUG & HEX BUSHING
WORKING PRESSURE:
3,000 PSI
MATERIAL:
STAINLESS STEEL 316L
STANDARD:
ASTM A182 F & ASME B16.11

SIZE: 1/8" to 4"

304L STAINLESS STEEL FITTINGS



AVAILABLE TYPE:
ELBOW, TEE, CROSS, CAP,
UNION, PLUG & BUSHING
DIM. SPEC:
CLASS 150 LBS
MATERIAL:
STAINLESS STEEL 304L
STANDARD:
ASTM A351 F & MSS SP114

SIZE: 1/8" to 6"

STAINLESS STEEL PIPE NIPPLES



SCH 40 & 80
SS 304L & 316LL
ASTM A182 F
ASME B16.11
PIPE SIZE: 1/8" - 4"
LENGTH: CLOSE TO 12"

PIPE NIPPLES

CARBON STEEL A106
SCH 40
SCH80 - XH NIPPLE
XXH NIPPLE
SIZE: 1/8" TO 4"
LENGTH: CL TO 12"



FITTINGS & FLANGE ACCESSORIES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



API PIPE COUPLINGS



BLACK
DIA: 1/8" - 4"
LENGTH:
STANDARD & HALF API
COUPLING

TOE COUPLINGS



MATERIAL:
SA 105 CARBON STEEL
ASME B16.11
STANDARD:
ANSI B1.20.1

SIZE: 1/2" - 3" AND UP TO 9" LONG

SLEEVE COUPLINGS



GASKET: RUBBER END
FLANGE: DUCTILE IRON
PIPE: STEEL
FASTENERS: CARBON STEEL

SIZE: 2" TO 12" STEEL PIPE
LENGTH: 5", 7", 12", 14", 24", & 27"

MERCHANT COUPLINGS



MATERIAL:
CARBON STEEL ASTM A865
STANDARD:
ANSI B1.20.1

SIZE: 1/4" - 8"
1/4" - 2" NPSC, STRAIGHT THREADS
2 1/2" - 8" NPT, TAPERED THREADS

REPAIR CLAMPS



STAINLESS STEEL W/ EPDM
DIA: 1" - 6"
LENGTH: 3", 6" & 12"

BULL PLUGS



CARBON STEEL A105
STANDARD, X HEAVY & TAP
EG PLATED
MSS-SP-95
SIZE: 1/8" TO 8"

SWAGE NIPPLES



CARBON STEEL A234 WPB
STANDARD & X HEAVY
EG PLATED
MSS-SP-95
SIZE: 1/2" TO 8"

STAINLESS STEEL SWAGE NIPPLES



316 SS
XXH

SIZE: 2", 3" & 4"

FITTINGS & FLANGE ACCESSORIES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



PONY ROD & COUPLINGS



PONY ROD
4130 PER API 11B "D"
SIZE: 5/8" 3/4" 7/8" & 1" AND
UP TO 2', 4', 6' & 8' LONG

COUPLING
STANDARD & SLIM HOLE
5140 PER API 11B
"T" & "SM" FINISHED
SIZE: 5/8" 3/4" 7/8" & 1"

SEATING NIPPLES



J55
1 1/2" & 2 3/8" EUE 10RD
1 1/2" & 2 3/8" NUE 10RD
LENGTH: 12"

O.C. FITTINGS



J55, MSS-SP-95
STANDARD, X HEAVY &
TAPPED
EG PLATED
SIZE: 2" - 5"

J55 NIPPLES



AVAILABLE TYPE:
STANDARD
MATERIAL:
J55

DIA: 2 3/8", 2 7/8" & 3 1/2"
LENGTH: 4" to 12"

J55, L80, N80 & P110 PUP JOINTS




PIN X PIN W/ THREAD PROTECTORS
DIA: 2 3/8", 2 7/8" & 3 1/2"
LENGTH: 2', 4', 6', 8', 10', & 12'

TUBING COUPLINGS

J55, L80, N80 & P110
API 5CT
DIA: 2 3/8", 2 7/8" & 3 1/2"



OUTLETS



AVAILABLE TYPE:
THREADED, SOCKET WELD &
WELDED, 3M & 6M
SPECIFICATION:
A/SA 105N, MSS-SP97

SIZE: 1/2" - 4"

B7 STUDS



STUD : ALLOY STEEL
NUTS: CARBON STEEL
ASTM A-193 GRADE B7 FOR STUDS
ASTM A-194 GRADE 2H FOR NUTS

SIZE: 1/2" TO 2 3/4" DIAMETER &
LENGTH: 2 1/2" to 25"

RING JOINT GASKETS



CARBON STEEL & 316 SS
TYPE: R, RX & BX
ASME 16.20

SUITABLE FOR PIPE SIZE 1/2" TO 36"

SPIRAL GASKETS



CG TYPE SPIRAL WOUND GASKET
OUTER RING : CARBON STEEL
HOOP: SS304
FILLER: GRAPHITE
CLASS 150, 300 & 600
ASTM B16.20

SIZE 1/2" TO 24"

FITTINGS & FLANGE ACCESSORIES

1.800.658.1528

WWW.CHEMOILPRODUCTS.COM
SHOP.CHEMOILPRODUCTS.COM



CAM & GROOVE



SPECIFICATIONS:

- ALUMINUM
- GRAVITY CASTING
- A-A-59326 STANDARDS
- NBR SEAT MATERIAL
- 50 PSI TO 250 PSI
- SIZE 3/4" TO 8"



TYPE B
F COUPLER X M NPT



TYPE D
F COUPLER X F NPT



TYPE DC
DUST CAP COUPLER



TYPE C
F COUPLER X HOSE SHANK



TYPE A
M ADAPTER X F NPT



TYPE F
M ADAPTER X M NPT



TYPE DP
DUST PLUG ADAPTER



TYPE E
M ADAPTER X HOSE SHANK



FRAC TANK SUPPLIES

FRAC HOSE SUB

ASTM A536 GRADE 65-45-12
SIZE: 6" & 8"

FRAC STANDARD NUT

ASTM A216 GRADE WCB
SIZE: 6" & 8"

WELD ON MALE SUB

ASTM A216 GRADE WCB
SIZE: 6" & 8"

THREADED BLIND

ASTM A536 GRADE 65-45-12
SIZE: 6" & 8"



END OF LINE VENT V.
CAST ALUMINUM
SIZE: 2" & 3"



IN-LINE VENT V.
CAST ALUMINUM
SIZE: 2" & 3"



AIR GRIP UNION
ASTM A216 GRADE WCB
SIZE: 6" & 8"



EXPANSION JOINTS
FLANGE CARBON STEEL - ANSI150
SIZE: 2" - 12"



2014 DWNBN SERIES
CLASS 125
SIZE: 4", 6" & 8"



THIEF HATCHES
ROUND SHAPE
SIZE: 8"




THIEF HATCHES
OVAL SHAPE
SIZE: 8"



FRAC TANK MANIFOLD
4 x 4" NPT OUTLETS
6" & 8" X 5 FT. & 6 FT.

OIL FIELD ACCESSORIES



BIRD CONES
CONE SS304
FRAME SS201
CLAMP SS201
SIZE 4", 6", 8", 10",
12", 14" & 16"



GAUGING TAPE
SOLID BLACK,
CHROME BLACK
& CHROME
SIZE: 18, 25 & 50 FT



OIL SPILL PADS
COLOR: WHITE & GREY
MATERIAL: PP + HL560
GSM: 150 & 200
SIZE: 14 1/2" x 19"
& 15 1/2" x 19 1/2"



SEAL TAPE
MIL SPEC: T-27730A
W: 1/2" & 1"
L: 520"



OIL FIELD GLOVES
• STRING KNIT
• DOUBLE LAYER
• HEAVY DUTY



COCOA MAT
100% COIR FIBER
HAND LOOMED
BRUSHED SURFACE
SIZE: 22" x 36" x 1.5"

→ CORPORATE HEADQUARTERS



SUGAR LAND, TEXAS

12510 Cardinal Meadow
Sugar Land, TX 77478
+1.832.500.0040 (main)
+1.281.494.8012 (fax)

OUR MISSION

Our mission is to supply the highest quality engineered products to the Energy and Industrial marketplace. With global sourcing relationships, UVI Chem Oil Products provides high quality industrial components at attractive prices to the supply chain.

→ NEW DISTRIBUTION CENTER



PENNSYLVANIA

101 Four Coins Dr.
Building B
Canonsburg, PA 15317
+1.724.749.8150 (main)
+1.724.749.8149 (fax)

→ DISTRIBUTION CENTER



OKLAHOMA

9741 NW 6th
Oklahoma City, OK 73127
+1.405.470.1890 (main)
+1.405.470.1982 (fax)

ADVANTAGES

- UL Certified QA/QC Department
- Application and Technical Assistance
- **275,000 SQ. FT.** Warehouse
- Custom Products Development
- Product Liability Insurance



FOR ANY INQUIRIES, PLEASE CONTACT THE AREA MANAGER IN YOUR REGION.

www.chemoilproducts.com

UNITED STATES



Visit our →

Online
Shop

1.800.658.1528
SHOP.CHEMOILPRODUCTS.COM

★ Corporate Headquarters

12510 Cardinal Meadow
Sugar Land, TX 77478
+1.832.500.0040 (main)
+1.281.494.8012 (fax)

★ OKC Distribution Center

9741 NW 6th
Oklahoma City, OK 73127
+1.405.470.1890 (main)
+1.405.470.1982 (fax)

★ PA Distribution Center

101 Four Coins Dr. Building B
CANONSBURG, PA 15317
+1.724.749.8150 (main)
+1.724.749.8149 (fax)

▲ Bill Poole Valve & Control

New Iberia Location
710 W. Admiral Doyle Dr.
New Iberia, LA 70560
+1.337.367.3465

Houma Location

337 Equity Blvd.
Houma, LA 70363
+1.985.873.0116

▲ K&R Valve & Fitting

3003 Petrol Rd.
Bakersfield, CA 93308
+1.661.829.5015

1 VP Of Sales
JASON NIX
+1.405.919.1471

2 North East
CHARLES SHEEN
+1.724.762.0333

3 Gulf Coast
LES MANGHAM
+1.903.239.2925

4 Mid Continent
JAIME DELGADO
+1.405.517.9909

5 Rocky Mountain
DAVID GRETEMAN
+1.405.618.1208

6 Permian Basin
KYLE CALDWELL
+1.214.213.8609

7 South Texas
AARON HURTADO
+1.832.600.7621



MEXICO

A1 Industrial Supply

+899-207-1737
+899-959-1751



COP Offices



COP Area Manager Location



COP Stocking Location

COP is a registered trademark of

UVI

Unique Valves &
Instrumentation
3000-10-2015